CONTENTS AND INDEX OF DRUG AND THERAPEUTICS BULLETIN

VOLUME 7, 1969.

Title	Page	Issue No.
Influenza Vaccines	1	1
Oral Contraceptives and Psychological Symptoms	2	1
Synacthen Depot	4	1
Lignocaine for Acute Ventricular Arrhythmias	5	2
Biguanides Reassessed	7	2
New and Old Potassium Preparations	9	3
Drostanolone and Norethisterone in Disseminated Breast Cancer	10	3
Butazolidin Alka Mantle Tablets	12	3
Septrin and Bactrim: A Combination of Trimethoprim and Sulphamethoxazole	13	4
Nifuratel (Magmilor)	15	4
Special Techniques for Analgesia in Normal Labour	17	5
Cordilox up to date	19	5
Exercise for Angina	21	6
Haemoglobinometry outside the Hospital Laboratory	23	6
Single-dose Eyedrops	25	7
Pancuronium - a New Neuromuscular Blocking Agent	26	7
Ileostomy Appliances	27	7
Abbreviating Grams	28	7
Adoption: Social Aspects that may concern the Doctor	29	8
Corticosteroid Therapy in Glandular Fever	31	8
Therapeutic Use of Gonadotrophins and Clomiphene	33	9
Brufen in Rheumatoid Arthritis	35	9
Exercise for Intermittent Claudication	37	10
Salbutamol (Ventolin) for Asthma	38	10
Local Preparations for Ano-Rectal Symptoms	41	11
Medium-Chain Triglycerides	43	11
Oral Contraceptives, Surgery and Prolonged Bed Rest	45	12
Aprotinin (Trasylol) up-to-date	46	12
Helping Parents with the Handicapped Child	49	13
Industrial Rehabilitation for Patients with Schizophrenia	51	13
Prescribing for Patients with Renal Failure	53	14
Management of Hiatus Hernia	57	15
L-Dopa for Parkinsonism	59	15
Drug Dependence I : Definitions, Aetiology and Prevalence	61	16
Reading Difficulties in Children	63	16
Drug Dependence II : Treatment	65	17
The New Immunisation Schedule	(69)	18
Leucotomy To-Day	(71)	18
Drugs for Patients with Concurrent Anxiety and Depression	73	19
The Management of Squints in Childhood	75	19
Prevention and Treatment of Post-Gastrectomy Disorders	77	20
Halitosis and its Management	79	20
Neomycin and Framycetin in Topical Preparations	81	21
Guanethidine Eyedrops	83	21
Treating the Cancer Patient	85	22
Management of School Phobia	86	22
Larger Griseofulvin Tablets	88	22
Bisolvon	89	23
Oral Pentazocine (Fortral)	90	23
The Management of Obesity	93	24
Advances in Influenza Vaccines	96	24
Managing the Complications of Vagotomy and Drainage	97	25
Thymoxamine (Opilon)	99	25
Cephalothin v. Cephaloridine	101	26
Surgery for Chronic Gingivitis and Periodontitis	103	26
'Behind the Drug Scene'	104	26

Numbers bracketed (69) and (71) refer to pages incorrectly numbered 85 and 87.

Back numbers at 2/- per issue and binders 21/- are available to subscribers on request.

CUMULATIVE INDEX VOLUME 7

INDEX - Entries in CAPITALS are the names of diseases and conditions. Names with Capital Initial Letters are proprietary names. Names with lower-case initial letters are Approved Names or other non-proprietary names. A plus sign denotes 'combination with', e.g. 'sulphamethoxazole + trimethoprim' refers to a preparation containing both those substances.

A page number marked with an asterisk* indicates a fairly full discussion of the subject. A page number preceded by the letter 'c' indicates a correction. Pages 69 to 72 were incorrectly numbered 85 to 88 and therefore the corresponding incorrect number is shown in parentheses after the correct one.

ACIDOSIS: treatment in renal failure 54
Adcortyl with Graneodin 82
ADDICTION. See DRUG DEPENDENCE
Admune AQ 1, 96. Admune-Mono 68 1
adoption 29*, 92
α-adrenergic blocking agent: thymoxamine 99*
A.E. Obstetric Machine 18
ALCOHOL DEPENDENCE: prevalence 62
Alcos-Anal 42
Aldomet 55
Alembicol D 43*
allopurinol: action in renal failure 55
Alupent 39. Alupent Expectorant 90
amethocaine eyedrops, single dose 26, c40
aminocaproic acid 47
aminosalicylate: dosage in renal failure 54
amitriptyline 73
+ chlordiazepoxide or perphenazine 74
amphetamines: in obesity 94; supply of 65
+ barbiturates: in anxiety and depression 74
AMPHETAMINE DEPENDENCE 61*, 65*
amphotericin B: dosage in renal failure 55
ampicillin: dosage in renal failure 55
ANAEMIA: diagnosis of 23*; postvagotomy 98
anaesthesia, regional: in labour 18
anaesthetics, local (see also lignocaine): in ano-rectal disorders 42; use by midwives 18
analgesia: in normal labour 17*
analgesics: excretion in renal failure 56
ibuprofen 35*
pentazocine, oral 90*
analgesic gas machines 18
androgen: drostanolone propionate 10*
ANGINA: exercise for 21*
Anodesyn 42
ANO-RECTAL DISORDERS 41*
anorectics: in obesity 94
Anovlar 3
antacids: in hiatus hernia 57
antibacterial agents: dosages in renal failure 53
sulphamethoxazole + trimethoprim 13*; child's dosage 24
antibiotics: dosages in renal failure 53
anticholinergics: in hiatus hernia 58
anticonvulsants: dosages in renal failure 56
antidepressives: with sedative properties 73
anti-emetics: thiethylperazine: dosage in renal failure 56
antihypertensives: dosages in renal failure 55
anti-inflammatory drug: ibuprofen 35*
antirheumatic drug: ibuprofen 35*
antiseptics: in ano-rectal disorders 42
Anturan c6, 55
ANXIETY: chemotherapy 73*; leucotomy for 71* (87)
Apresoline 56
aprotinin 46*
ARRHYTHMIAS, ventricular 5*, 40
ARTHRITIS, rheumatoid 35*
aspirin: in glandular fever 31; in rheumatoid arthritis 36
ASTHMA 38*
ATHEROSCLEROSIS 8
intermittent claudication 37*
atropine eyedrops, single-dose 26, c40

bacitracin: dosage in renal failure 55
Bactrim. See sulphamethoxazole + trimethoprim
barbiturates: dosages in renal failure 56
+ amphetamine: in anxiety and depression 74
BARBITURATE DEPENDENCE 61*, 65*
BCG vaccine 71 (87)
beclomethasone dipropionate + lignocaine: in ano-rectal disorders 42
'Behind the drug scene' 104
benactyzine + meprobamate 74
Benemid 55
benzylpenicillin. See penicillin G
betamethasone valerate: in ano-rectal disorders 42
+ neomycin 82
bethanidine: action in renal failure 55
Betnovate Rectal Ointment 42. Betnovate-N 82
biguanides: in obesity 94
metformin and phenformin 7*, c40
Biosone Suppositories 42
BIRTH. See LABOUR
birth control. See contraceptives
Bisks 94
bismuth subgallate suppositories, compound 42
Bisolvomycin 90
Bisolvon 89*
Blenderm 28
BLINDNESS: in children 50
BLOOD CLOTTING: and oral contraceptives 45; effect of aprotinin on 47*
bromhexine 89*
+ orciprenaline or oxytetracycline 90
BRONCHITIS, chronic 14, 89; influenza vaccination in 96
bronchodilators: isoprenaline, orciprenaline and salbutamol 38* (formulae 44)
Brufen 35*
buformin 7
bupivacaine: epidural anaesthesia with 19
Butazolidin Alka Tablets 12*

Camcopot Tablets 9
CANCER 85*; mammary, disseminated 10*
CANDIDIASIS 16
CANNABIS DEPENDENCE: prevalence 62
carbenicillin: dosage in renal failure 55
CARCINOMA. See CANCER
cardiac glycosides: dosage in renal failure 55
CARDIOVASCULAR DISEASE: intermittent claudication 37*
castor oil eyedrops, single-dose 25, c40
Celevac 94
Cellucon 94
cephaloridine 101; dosage in renal failure 55
cephalosporins 101*
cephalothin 101*
Ceporin 101
CHILBLAINS 99
children: adoption of 29*, 92; handicapped 49*; immunisation of 69* (85), c88; obesity in 95; reading difficulties in 63*; school phobia in 86*
Chiron Clear-Seal 28
chloramphenicol: dosage in renal failure 55; in typhoid fever 14
eyedrops, single-dose 25
chlordiazepoxide + amitriptyline 74
chlorpropamide 7
chlorprothixene 73
chlortetracycline: dosage in renal failure 55
ointment 82
chorionic gonadotrophin, human: in infertility 33*; in obesity 94
Chymacort 82
CLAUDICATION, intermittent 37*
Clomid 33*, c48
clomiphene: in infertility 33*, c48
cloxacillin: dosage in renal failure 55
codeine phosphate: in postgastrectomy diarrhoea 77; in postvagotomy diarrhoea 97
Codelsol with Neomycin 82
COELIAC DISEASE 44
colistin: dosage in renal failure 55
contraceptives, oral: and surgery 45*; psychological symptoms caused by 2*
Cordilox 19*
corticosteroids: in glandular fever 31*
local: in ano-rectal disorders 41
+ neomycin or framycetin: sensitisation by topical preparations of 81
corticotrophin: in glandular fever 31
synthetic: depot form of 4*
Cortisporin 82
Cortoderm N 82
countershock, DC: in arrhythmias 5
CRYPTORCHIDISM 33
cycloserine: dosage in renal failure 55
CYSTIC FIBROSIS: use of medium-chain triglycerides 43
cytotoxic drugs: in breast cancer 10

DEAFNESS: in children 50
defibrillation, electrical 5
DEFIBRINATION SYNDROME 47
demethylchlortetracycline: dosage in renal failure 55
DEPRESSION: drugs for 73*; induction by oral contraceptives 3; leucotomy for 71 (87)
Dermamed 82
Dermicel Surgical Dressing c12, 28
DIABETES 7*, c40; in children 51
DIARRHOEA: after gastrectomy 77; after vagotomy 97*
Dibotin 7*, 94
dicyclomine: in hiatus hernia 58
diet, weight-reducing 93*
digoxin: dosage in renal failure 55
Diguanil 94
L-dihydroxyphenylalanine 59*
diphenhydramine + methaqualone: dependence on 62

diphenoxylate + atropine: in postgastrectomy diarrhoea 77; in postvagotomy diarrhoea 97
DIPHTHERIA: immunisation against 69 (85)
diuretics: actions in renal failure 54; in obesity 95; potassium depletion by 9
l-dopa 59*
dothiepin. See Prothiaden
doxepin: in anxiety and depression 73
Drenison with Neomycin 82
dressings, non-adherent c12
Drinamyl 74
drostanolone propionate: in breast cancer 10*
DRUG DEPENDENCE 61*, 65*; Family Doctor booklet on 104; leucotomy for 72 (88)
pentazocine 91
DUMPING SYNDROME, postpyloroplasty 97
dyflos: in squints 76
DYSLEXIA 63

ecothiopate: in squints 76
ECZEMA 83
Edecrin 54
Efcortelan N 82
Emotril Automatic Machine 18
enoxolone: in ano-rectal disorders 42
Entonox Machine 18
ephedrine eyedrops, single-dose 26, c40
epidural anaesthesia 19
EPILEPSY: in children 51
episiotomy: local anaesthetics for 18
Epsikapron 47
erthromycin: dosage in renal failure 55
Esbatal 55
eserine eyedrops, single-dose 26, c40
ethacrynic acid: action in renal failure 54
ethyloestrenol: with phenformin: in cutaneous vasculitis 8
Euphoramin 74
exercise: for angina 21*; for intermittent claudication 37*
eyedrops, single-dose 25*, c40

fibrinolysis: inhibition of 47
Flugen 1, 96. Flugen HK 1
fluocinolone acetonide: in ano-rectal disorders 41
fluorescein eyedrops and strips, single-dose 25, c40
Fluorets 25, c40
follicle stimulating hormone: in infertility 33*
Fortral 90*
framycetin: in ano-rectal disorders 42
topical preparations: sensitisation by 81*
Framycort 82
frusemide: action in renal failure 54
FSH 33*
Fulcin-500 88
fusidic acid: dosage in renal failure 55

gallamine: action in renal failure 56
ganglion-blocking agents: actions in renal failure 55
gastrectomy: disorders after 77*
gentamicin: cross-sensitisation to neomycin 82
dosage in renal failure 55
GINGIVITIS, chronic: surgery for 103*
GLANDULAR FEVER 31*
GLAUCOMA 83
Glucophage 7*, 94
gonadotrophins: in infertility 33*, c48
Gonadotrophin L.H. 33*
GONOCOCCAL URETHRITIS 14
'Good Losers' 95
grams: abbreviation for 28
Graneodin 82
griseofulvin tablets: strengths 88
guanethidine: action in renal failure 55
eyedrops: in glaucoma and endocrine ophthalmopathy 83*, c88

haemoglobinometry: outside hospital 23*
HAEMORRHOIDS 41
HALITOSIS: causes and treatment 79*
HANDICAPPED CHILD: associations that help parents with 49*
HCG: in infertility 33*
HEADACHE: induction by oral contraceptives 3
HEART DISEASE: in children 50; ischaemic 21*
Hemrids 42
Hepacort Plus 42
heroin: excretion in renal failure 56
HEROIN DEPENDENCE 61*, 65*
HFSH: in infertility 33*
HIATUS HERNIA 57*
homatropine eyedrops, single-dose 26, c40
Humegon 33*
hydrallazine: dosage in renal failure 56
hydrocortisone, local: in ano rectal disorders 41
Hydroderm 82
Hydromycin-D 82
Hydrosaluric-K Tablets 9
hyoscine eyedrops, single-dose 26, c40
HYPERLIPAEMIA 43
HYPERTENSION: and thymoxamine 100

ibufenac 35
ibuprofen: in rheumatoid arthritis 35*
Idemin 74
ileostomy appliances 27*, c40
ILLEGITIMATE CHILDREN 29
imipramine 73
+ promazine 74
immunisation 69* (85), c88
IMPETIGO 82
INDIGESTION 57*
INFERTILITY 33*
INFLUENZA: vaccination 1*, 96*
Influvac 1, 96. Influvac HK 1
Ismelin 55; Eyedrops 83*, c88
isoniazid: dosage in renal failure 54
isoprenaline: compared with salbutamol 39 (formula 44)

kanamycin: cross-sensitisation to neomycin 82; dosage in renal failure 55
Katorin 10
Keflin 101*
KIDNEY FAILURE: prescribing for patients with 53*
Kloref Tablets 9

LABOUR, normal: analgesia in 17*
LACTIC ACIDOSIS: induction by phenformin 8
Lasix 54
Lasonil 42
leucotomy 71* (87)
LIBIDO: and oral contraceptives 3
LID RETRACTION 83
lignocaine: in ano-rectal disorders 42; in ventricular arrhythmias 5*, 40; regional anaesthesia with 19; use by midwives 18
Limbitrol 74
Limmits 94
lincomycin: dosage in renal failure 55
Locan 42
Locorten-N 82
Lomotil 77, 97
Lucy Baldwin Machine 18

Magmilor 15*
MALABSORPTION, fat: diet supplement for 43
Mandrax 62
MAO. See monoamine-oxidase
Marcain 19
Masteril 10*
MCT oil 43*
MEASLES: immunisation against 69(85), c88
Medihaler Iso 39
Melleril 73
MÉNIÈRE'S SYNDROME 99
MENTAL DISORDERS (see also ANXIETY and DEPRESSION): effect of oral contraceptives on 3; helping parents of children with 50; industrial rehabilitation for schizophrenics 51*; leucotomy for 71*(87); SCHOOL PHOBIA 86*
meprobamate + benactyzine or methylamphetamine 74
Merbentyl 58
metformin 7*, c40; in obesity 94
methacycline: dosage in renal failure 55
methadone: in opiate dependence 66
methaqualone + diphenhydramine: dependence on 62
methicillin: dosage in renal failure 55
methylamphetamine + meprobamate 74
methylcellulose: in obesity 94
methyldopa: dosage in renal failure 55
metronidazole 15, 16
Mevilin L 69(85)
Microdon Dressing c12
Micropore 28
midwives: use of local anaesthetics by 18
Minims 25, c40
Minnitt Machine 18
monoamine-oxidase inhibitors with sedative properties 73
MONONUCLEOSIS, infectious 31*
morphine: excretion in renal failure 56
Myciguent 82

nalidixic acid: dosage in renal failure 55
Nardil 73
Neobacrin 82
Neo-Cortef 82
neomycin: in renal failure 54
topical preparations: sensitisation by 81*
neuromuscular-blocking agents: action in renal failure 56
pancuronium 26*
NEUROSES. See MENTAL DISORDERS
nifuratel 15*
nitrofurantoin: in renal failure 53
nitrous oxide: in normal labour 17
Nivemycin 82
non-adherent dressings c12
norethisterone acetate: in breast cancer 10*
+ oestrogen: psychological symptoms caused by 3
novobiocin: dosage in renal failure 55
nystatin 15, 16

OBESITY 93*
Obin 94
obstetrics: analgesic gas machines for 18*
oestrogen + progestagen: and surgery 45; psychological symptoms caused by 2*
ointments, rectal 41*
OPHTHALMOPATHY, endocrine 83
OPIATE DEPENDENCE 61*, 65*
Opilon 99*
Opulets 25
orciprenaline: in asthma 39 (formula 44)
+ bromhexine 90
organisations that help parents with handicapped children 49*
organisations and publications that help in adoptions 31
OSTEOMALACIA 78
oxacillin: dosage in renal failure 55
oxygen: in labour 17
oxytetracycline: dosage in renal failure 55
+ bromhexine 90

PANCREATITIS, acute 46
pancuronium 26*
paracetamol: in rheumatoid arthritis, 36

paraffin, liquid: single-dose eyedrops 26, c40
paraldehyde: dosage in renal failure 56
paramethasone: in glandular fever 31
PARKINSONISM 59*
Parstelin 74
PAS. See aminosalicylate
Pavulon 26*
penicillin G: in glandular fever 32
penicillins: dosages in renal failure 55
pentazocine, oral 90*
Pergonal 33*
PERIODONTAL DISEASE, chronic: surgery for 103*
perphenazine + amitriptyline 74
PERTUSSIS: immunisation against 69 (85)
pethidine: excretion in renal failure 56
PHAEOCHROMOCYTOMA 99
phenelzine 73
phenformin 7*, c40; in obesity 94
with ethyloestrenol: in cutaneous vasculitis 8
phenobarbitone: dosage in renal failure 56
phenothiazines: dosages in renal failure 56
phenylbutazone + antacids 12*
phenytoin: dosage in renal failure 56
PHOBIAS. See MENTAL DISORDERS
Phospholine Iodide 76
Physeptone 66
physostigmine. See eserine
PILES 41
'Pill, The'. See contraceptives, oral
pilocarpine eyedrops, single-dose 25, c40
PITUITARY INSUFFICIENCY 35
plasmin inhibitor: aprotinin 46
PNEUMONIA, staphylococcal 14
POLIOMYELITIS: immunisation against 69(85)
polymyxin B: dosage in renal failure 55
Portagen 43
POTASSIUM DEPLETION 9*; in renal failure 54
potassium preparations 9
prednisolone: in glandular fever 31, 32
local: in proctocolitis 42, c56
Predsol 42, c56
PREGNANCY: pentazocine contra-indicated in 92
multiple pregnancies, drug-induced 33
Pregnyl 33*
PREMENSTRUAL SYNDROME: effect of oral contraceptives on 3
Preparation H 42
Priscol 99, 100
Pro-Banthine 58
probenicid: action in renal failure 55
procainamide: in arrhythmias 5, 6
PROCTOCOLITIS, non-specific 42, c56
Proctosedyl 42
progestagen + oestrogen: and surgery 45*; psychological symptoms caused by 2*
progesterones: in breast cancer 10
promazine + imipramine 74
Pronestyl 5, 6
Propaderm Rectal Ointment 42. Propaderm-N 82
propantheline: in hiatus hernia 58
propranolol: in angina 20; in endocrine ophthalmopathy 83
Prothiaden 73
PRURITIS, anal 41
PSYCHOLOGICAL SYMPTOMS: caused by oral contraceptives 2*
Pylura 42

quinidine 5

RAYNAUD'S SYNDROME 99
READING DIFFICULTIES: in children 63*
rehabilitation, industrial: for schizophrenics 51*
RENAL FAILURE: prescribing for patients with 53*
RESPIRATORY DEPRESSION, pentazocine-induced 91, 92
RESPIRATORY DISEASE, chronic: in children 50
rifamide: dosage in renal failure 55
rifampicin: dosage in renal failure 55
ristocetin: dosage in renal failure 55

Salazopyrin 42, c56
salbutamol: in asthma 38* (formula 44)
Sando-K Tablets 9
SCHIZOPHRENIA. See MENTAL DISORDERS
sedatives: dosages in renal failure 56
SENSITISATION: by neomycin and framycetin 81
SEPTICAEMIA, Gram-negative 14
Septrin. See sulphamethoxazole + trimethoprim
SEXUAL BEHAVIOUR: effect of oral contraceptives on 3
SH 420: in breast cancer 10*
shock treatment, DC: in arrhythmias 5
Sinequan 73
SKIN DISEASE 81, 82
Slow-K 9
SMALLPOX: immunisation against 69(85)
sodium chloride eyedrops, single-dose 26, c40
Soframycin 82
Sofra-Tulle 82
SPINA BIFIDA 50
sputum: reduction of viscosity 89*
SQUINTS 75*
STAPHYLOCOCCAL INFECTIONS 14, 102
STEATORRHOEA 43
Steri-Units 25
Stimplete 74
Stomaseal 28
streptomycin: dosage in renal failure 55
sulphacetamide eyedrops, single-dose 25
sulphafurazole: with trimethoprim: in urinary tract infections 14
sulphamethoxazole + trimethoprim 13*; dosage for children 24; dosage in renal failure 53
sulphasalazine: in proctocolitis 42, c56
Sulphatriad: with trimethoprim: in gonococcal urethritis 14
sulphinpyrazone: action in renal failure 55
tablets c6
sulphonamides: dosages in renal failure 53; with trimethoprim 14
sulphonylureas 7
Surmontil 73
Synacthen Depot 4*
Synalar Anal Ointment 42, Synalar N 82
Synandone-N 82

Taractan 73
Tecota Mark 6 Machine 18
testosterone propionate: in breast cancer 11
TETANUS: immunisation against 69 (85)
tetracosactrin, long-acting 4*
tetracyclines: dosages in renal failure 53
thiazides: actions in renal failure 54
thiethylperazine: dosage in renal failure 56
thioridazine 73
THROMBO-EMBOLISM 47; related to oral contraceptives and surgery 45*
thymoxamine 99*
thyroxine: in obesity 94
tolazoline: in chilblains 100
tolbutamide 7
Torecan 56
tranquillisers: with antidepressive action 73
tranylcypromine + trifluoperazine 74
Trasylol 46*
Tri-Adcortyl 82
trichloroethylene: in normal labour 17
TRICHOMONIASIS 16
trifluoperazine + tranylcypromine 74
triglycerides, medium-chain 43*
trimethoprim 13*, 24, 53
Trimetts 94
trimipramine 73
Triptafen preparations 74
Trufood MCT Oil 43*
Tryptizol 73
TUBERCULOSIS: BCG vaccination 69(85)
pulmonary 54
tubocurarine: action in renal failure 56
TYPHOID FEVER 14

ULCERS, duodenal and gastric: post-vagotomy complications 97*
Ultraproct 42
Unichem Pile Ointment 42
URETHRITIS, gonococcal 14
uricosuric agents: actions in renal failure 55
URINARY INFECTIONS 14, 102
Urolucosil 53

vaccines: for immunisation of children 69(85)
influenza 1*, 96*
VAGINITIS 15
vagotomy: complications following 97*
vancomycin: dosage in renal failure 55
VASCULAR DISEASE, peripheral 99*
VASCULITIS, cutaneous 8
vasoconstrictors: in ano-rectal disorders 42
Ventolin 38*
verapamil: in angina 19*
vitamin D: in osteomalacia 79

'Weight Watchers' 95
Wellcome influenza vaccines 1, 96
Wellcovax 69(85), c88

Zyloric: action in renal failure 55

Back numbers at 2/- per issue and binders 21/- are available to subscribers on request.
An inclusive index for Volumes 1 - 5 is available on request from the Subscription Dept.